



P. L. Bhambhani

PRABHU LAL BHATNAGAR

(1912—1976)

Elected Fellow 1950

“That all the world may say, ‘This was a man’”. These words could have been written of PRABHU LAL BHATNAGAR. There were only a few, who came in contact with him and went away unimpressed. Here was a man bubbling with enthusiasm, fervour, and passionate love for mathematics. When he was giving a lecture, he looked restless, pacing up and down, trying to convey to his audience the beauty and order he saw in mathematics. His loud and clear voice, speed, and complete command over the subject matter of his talk kept his audience spellbound. To him mathematics was more than a subject; it was his very life. He loved, breathed, and tasted mathematics and above all, he tried to make others infected with it, too. To his students he was more than a teacher, he was a guru in the true sense. To his colleagues he was an idealist, with no room for compromise. There were only two ways—the right and the wrong, and the right won everytime. To his admirers he was almost superhuman and he could do no wrong.

BIRTH AND EARLY EDUCATION

Prabhu Lal Bhatnagar was born on August 8, 1912 in Kota in Rajasthan, the second of five sons. His parents belonged to a well connected family, which had been advisers to the rulers of the princely state of Kota. His forefathers were given the name ‘Rai Dwardas’ and had donated all their wealth and property to the Lord Mathuradish temple at Kota. His first lessons in arithmetic were from his grandfather, who enjoyed giving him problems to work mentally. Young Bhatnagar showed promise from the very beginning and nothing came between him and his studies. He went to school first at Kota, then the Government school at Rampura and Herberter College, Kota. He had secured first rank in the Intermediate examination and was encouraged by the Principal and Director of Education, Lala Daya Kishan Gupta, to go for further studies to Jaipur. It was during this time that his father passed away. Bhatnagar was just over twenty years old and a regular recipient of a scholarship from matriculation onwards. With this he supported himself and his family. He was a man of simple ways throughout his life. His true genius became further evident in 1934, when he completed his BSc degree at Maharajah’s College, Jaipur. It was then affiliated along with other colleges to Agra University. Bhatnagar had obtained the highest marks that year in Mathematics, and Chemistry in the BSc examination of

Agra University and for this he was awarded the Krishna Kumari Devi gold medal and Umang Lakshmi Kanti Lal Pandya gold medal, respectively. For the first rank in BSc, he was awarded the Maharajah Fateh Singh gold medal.

HIGHER EDUCATION AND RESEARCH ACTIVITIES

Bhatnagar went on to do his MSc at the same college. Professor KL Varma was one of the teachers for whom Bhatnagar had profound regard. In 1936 for his outstanding result in the MA, MSc examinations of Agra University, Bhatnagar was awarded the Lord Northbrook gold medal by Maharajah's College, Jaipur. The young Bhatnagar must have come to the crossroads at this stage. All brilliant young men of that time aspired to appear at the ICS examination. It was a lucrative, powerful profession for a chosen few. However, Bhatnagar was no ordinary young man. In spite of pressures and coaxing from friends and relatives, he turned down the ICS in favour of the advice of his teacher, Professor KL Varma. Professor Varma had advised him to take up research as a career at Allahabad University.

At University of Allahabad

Allahabad University was at that time at the pinnacle of its glory. Professor AC Banerji, a Wrangler from Cambridge, was the Head of the Department of Mathematics at that time. Bhatnagar first worked with Professor BN Prasad on the summability of Fourier and Allied Series. His research work at Allahabad from 1937-39, included the solution of second order linear ordinary differential equations by the Laplace Transform technique. Two of these have been incorporated in the famous book of Kamke *Differentialgleichungen, vol. I*. These are

$$(i) \quad y'' = (a^2x^{2n} - 1)y.$$

Solution for $anx^{n-1} > 1$ is

$$y = C_1 \int_{-1}^1 + C_2 \int_1^{\infty} e^{-\lambda t} (t-1)^{\mu-\nu} (t+1)^{\nu+\mu} dt,$$

$$\lambda = \frac{a}{n+1} x^{n+1}, \quad \mu = -\frac{n+2}{2(n+1)}, \quad \nu = \frac{x^{1-n}}{2a(n+1)}$$

and

$$(ii) \quad y'' = (4a^2 b^2 x^2 e^{2bx^2} - 1)y$$

with solution

$$y = \int e^{-\xi t} (t-1)^{\eta-\zeta} (t+1)^{\eta+\zeta} dt,$$

$$\text{where} \quad \xi = ae^{bx^2}, \quad \eta = \frac{1-2bx^2}{4bx^2}, \quad \zeta = \frac{e^{-bx^2}}{8ab^2x^2}$$

and the limits of integration are so chosen, that at these points, the integrand multiplied by $t^2 - 1$ must vanish.

Both these results were published in collaboration with Professor AC Banerji in the *Proc Nat Acad Sci* 8 1938.

Bhatnagar's research interests slowly shifted to the area of astrophysics. This was an inspiration on coming into contact with Professor MN Saha, FNA, FRS, who was already famous for his work in physics and astrophysics. Bhatnagar began to work on the spiral nebula and the tidal theory of planetary formation. For the best research in the Faculty of Science, Allahabad University, during 1937-39 he won the EG Hill memorial prize. He obtained his DPhil degree in Mathematics in 1939 for his thesis entitled *On the origin of the solar system* under the supervision of Professor AC Banerji.

At University of Delhi

After obtaining the DPhil degree of Allahabad University, he was invited by Shri SN Mukherjee, the then Principal of St Stephen's College, Delhi to join the college. Here he spent the better part of the next 16 years of his life, first as a Lecturer and later as head of the Department of Mathematics and concurrently a Reader in Mathematics at Delhi University. These years could perhaps be termed the blossoming years when Bhatnagar was in full bloom. He indulged in his interest in astrophysics, working both independently and in collaboration with Professor DS Kothari. The result was a spate of publications from 1939 to 1946, the highlight of which was the theory of anharmonic pulsations of Cepheids and white dwarf stars. This work brought Bhatnagar international recognition and caught the attention of the scientific community, especially the astronomers.

While the pulsation phenomenon had been observed only in 'supergiant stars', Bhatnagar saw no theoretical reason why it should not occur in denser stars and even in white dwarfs. He felt that a nova outburst associated with the sudden collapse of a star could leave the white dwarf pulsating. The pulsation once started could last for a period comparable to 10^8 years. The period of pulsation (assuming a 'homogeneous model') for the fundamental mode is given by

$$P = \left\{ \frac{9h^3}{16 \pi m^{3/2} H^{5/2} G^2} \right\} \frac{1}{\mu^{5/2} M} \sim 10 \frac{\odot}{M} \text{ sec.}$$

where M is the mass of the white dwarf, h the Planck's constant, m the electron mass, H the proton mass, G the gravitational constant, μ the mean molecular weight, and \odot the solar mass. However, Bhatnagar observed that the pulsation period for a white dwarf was too small to be directly observable and so the existence of pulsation in white dwarfs had to be looked for through its secondary effects. In later years, high

speed techniques have discovered such pulsations and substantially verified his calculations.

In an attempt to explain the observed skewness in the velocity time curve of the Cepheid Variables, Bhatnagar and Kothari derived exact expressions for the period P of oscillation and the times t_1 and t_2 , which are parts of the period, where the radius of the star is greater and less than the equilibrium radius R , respectively. They observed that if γ , the ratio of specific heats, were taken to be $5/3$, then the observed skewness would demand a semi-amplitude of oscillation which was almost equal to the radius of the star. This was inconsistent with observation, which gave a value for the semi-amplitude as $0.1R$. A rough calculation showed that the observed skewness would arise for a semi-amplitude of $0.1R$ only if γ were comparable to 10. The complex computer calculations of Robert Christy later showed that the skewness was essentially a surface phenomenon and the equations used by Bhatnagar were too slowly convergent to handle surface layers.

At St Stephen's, a busy schedule of over 20 hours of teaching per week did not dampen Bhatnagar's enthusiasm for research. In 1947 he was awarded the DSc degree from Allahabad University for his work on Astrophysics. His interest in stellar structures and interiors led him to the study of rarefied gases and ionised media. This was a harbinger of the monumental work he was to do a few years later.

At University of Harvard

In 1951, Bhatnagar went to Harvard University, Cambridge, Massachusetts as a Fulbright scholar for two years. This handsome tall scholar from India was often mistaken in the University corridors for a student. Once he took his place at the lecture rostrum, the students realized that he was indeed a senior faculty! He lectured on the mathematical theory of non-uniform gases. Together with DH Menzel and HK Sen, he wrote a book *Stellar Interiors*, which was published in the International Astrophysics Series, Chapman and Hall. The Boltzmann equation had captured Bhatnagar's attention at that time. The complicated integrals, which gave the collision effects were far too difficult to handle. His passion for simplification led to the emergence of the B-G-K (Bhatnagar, Gross, Krook) model. This gives a simple, yet a very realistic, Boltzmann-like equation, which has since been used as an alternative to the Boltzmann equation in actually solving problems in rarefied gas dynamics, plasma physics, and the kinetic theory itself. The classic paper of Bhatnagar, Gross, and Krook in the 94th volume of *Physical Review* of 1954 is the most widely referred paper in plasma physics and is still very extensively used.

There are two ways to describe the behaviour of a gas : (1) the continuum theory, where the macro (or bulk) behaviour is described and (2) the kinetic theory, where the behaviour is determined by the micro structure of the the constituent molecules. Here, a gas in a confined space is regarded as a swarm of randomly moving

particles, which perform collisions, and whose motion is heat itself. In continuum theory, the Navier-Stokes equations govern the motion of a gas in bulk. In kinetic theory, it is possible to derive laws governing the motion of a gas, which in a suitable limit lead to the Navier-Stokes equations. When the density of a gas becomes sufficiently low and the mean free path of molecules is no longer negligibly small compared to a characteristic dimension of the flow geometry, results of continuum fluid dynamics require correction. This becomes more and more important as the degree of rarefaction increases. Continuum dynamics must then be replaced by the kinetic theory of gases, and the Navier-Stokes equations by the Boltzmann equation:

$$\frac{\partial f}{\partial t} + \mathbf{v} \cdot \frac{\partial f}{\partial \mathbf{x}} = Q(f, f), \quad (1)$$

which gives the evolution of an "expected number density" $f(\mathbf{x}, \mathbf{v}, t)$ in the phase space described by (\mathbf{x}, \mathbf{v}) , i.e. $f(\mathbf{x}, \mathbf{v}, t) d\mathbf{v}d\mathbf{x}$ is the "expected number of molecules" which at time t lie in the "volume" element between (\mathbf{x}, \mathbf{v}) and $(\mathbf{x} + d\mathbf{x}, \mathbf{v} + d\mathbf{v})$ in the phase space, $Q(f, f)$, called a collision term, is given by

$$Q(f, f) = \int \{f(\mathbf{v}')f(\mathbf{v}'_1) - f(\mathbf{v})f(\mathbf{v}_1)\} |\mathbf{v}_1 - \mathbf{v}| r d\mathbf{r} d\mathbf{v}_1 \quad (2)$$

and represents the time rate of increase of the "expected number" of molecules (per unit "volume" in the phase space) due to binary collision of the molecules. In (2) the dependence of f on the velocities only has been shown; its dependence on \mathbf{x} and t has been suppressed. \mathbf{v}' and \mathbf{v}'_1 are the velocities of two colliding molecules, which after collision have velocities \mathbf{v} and \mathbf{v}_1 . (r, \mathbf{e}) represents the plane polar coordinates in the plane of collision, with the particle which comes out with velocity \mathbf{v} , as the centre of the coordinate system. For the validity of the Boltzmann equation, it is not necessary to assume the gas flow to be rarefied. It is valid for much denser gases and has been used to compute the transport coefficients, namely, the coefficients of viscosity, diffusion and thermal conduction, in order to complete the conservation equations of continuum mechanics.

The collision term Q has quadratic nonlinearity and involves a very complicated integral. Hence the Boltzmann equation is an extremely difficult nonlinear integro-differential equation, which had evaded all attempts at a solution. Boltzmann equation led to some really deep results. One of them is: A quantity H associated with total gas is a non-increasing function of time (the celebrated H-theorem of Boltzmann) and is steady only when the distribution function f is Maxwellian. Another result is to be noted regarding the collision processes of two molecules, which is completed over a very short distance compared to their mean free path. After the collision, the total mass, momentum and thermal energy (simply the kinetic energy for simplest molecules, i.e. molecules for which the state can be described by three space coordinates and three velocity components) of the molecules remain the same as those before the collision.

Thus, for any collision process, there are five independent functions $\psi_\alpha(\mathbf{v})$, $\alpha = 0, 1, 2, 3, 4$, such that $\int \psi_\alpha(\mathbf{v}) Q(f, f) d\mathbf{v} = 0$, where the integration is over the whole three dimensional velocity space \mathbf{v} . Hence $\psi_0 = 1$, $(\psi_1, \psi_2, \psi_3) = \mathbf{v}$ and $\psi_4 = v^2$. The functions ψ_α are called elementary collision invariants and it can be proved that a general collision invariant for the simplest molecules is a linear combination of the above mentioned five elementary collision invariants.

One of the major shortcomings in dealing with the Boltzmann equation is the complicated nature of the collision integral. Bhatnagar (along with his collaborators, Gross and Krook) realized that much of the detail of the two-body interaction, which is contained in the collision term, is not likely to influence significantly the values of many experimentally measured quantities and coarser description may be obtained by replacing the true collision term $Q(f, f)$ by a simpler one $J(f)$, which retains only the qualitative and average properties of $Q(f, f)$. This leads to the creation of the BGK model in which $J(f)$ is assumed to possess the following two main features of the true collision terms $Q(f, f)$: (i) The elementary collision invariants of $Q(f, f)$ retain their properties with respect to $J(f)$ also, i.e. $\int \psi_\alpha J(f) d\mathbf{v} = 0$, $\alpha = 0, 1, 2, 3, 4$. (ii) The collision term expresses the tendency to approach a Maxwellian distribution (H-theorem).

Bhatnagar, Gross and Krook took the second feature into account by assuming that each collision changes the distribution function $f(\mathbf{v})$ by an amount proportional to the departure of $f(\mathbf{v})$ from the Maxwellian $\Phi(\mathbf{v})$, i.e. $J(\mathbf{v}) = \nu [\Phi(\mathbf{v}) - f(\mathbf{v})]$, where ν is independent of \mathbf{v} and the other parameters in $\Phi(\mathbf{v})$ are determined from the fact that at and point \mathbf{x} any time t , $\Phi(\mathbf{v})$ must have the same density, velocity and temperature of the gas as that given by $f(\mathbf{v})$. Thus unlike the quadratic nonlinearity of $Q(f, f)$, the nonlinearity in BGK collision term is much more complex.

The main advantage in using the BGK operator is that for any problem one can deduce integral equations for the macroscopic variables: density, velocity, and temperature. These equations, though strongly nonlinear, simplify some iterative procedures and make the treatment of interesting problems feasible on high speed computers. A problem, which is easily solved with the nonlinear BGK model, is that of the relaxation to equilibrium in the spatially homogeneous case. An arbitrary distribution function $g(\mathbf{v})$ depending only on the velocity \mathbf{v} is given, and we want to find its time evolution according to kinetic theory; this problem cannot be solved analytically with the full Boltzmann equation, but it is trivial with the BGK model. Another simple property of the BGK model is that it admits an easily proved H-theorem.

BGK model contains the most basic features of the Boltzmann collision integral, however it is not derived from the Boltzmann equation. Therefore, the discovery of the BGK model has led to systematic investigations for deducing models of increasing

accuracy. Undoubtedly, the BGK model is one of the most important scientific contributions by an Indian mathematician.

Return to Delhi University

On his return to India, Bhatnagar exemplified two of his convictions, which he held throughout his life. The first was to reach out to as many people as he could, and help them pursue research. He believed that since he had the capacity and the gift to do independent research, he should inspire others and introduce them to the joys of scientific research. In his own words, *Reward of research is the joy of creation*. Besides, every scientist had social obligations to fulfil. The second of his convictions was that the research of tomorrow has to be done by a group. The more people there are working cohesively on various aspects of the same theme, the more fruitful the findings would be. In 1953, Bhatnagar began to gather a band of colleagues and other teachers from Delhi University and encouraged them to take up research. As local secretary of the annual conference of the Indian Mathematical Society in December 1953 at Delhi, he used every opportunity to draw others into the scientific fold. Just as the scientific activity was picking up, there was a change in Bhatnagar's life.

At IISc, Bangalore

In 1950 he was elected fellow of the National Institute of Sciences (now INSA, Indian National Science Academy). In 1955, he was elected fellow of the Indian Academy of Sciences. As his stature rose, he was much sought after as a Professor. In January 1956, the Indian Institute of Science, Bangalore invited him to join as the first Professor of the newly created Department of Applied Mathematics. The venue of Bhatnagar's life and research moved from Delhi to Bangalore. It was initially intended that Bhatnagar give lectures on various topics in mathematics in the already established departments of science and engineering at the Institute and that the scientific community could benefit from his presence at the Institute. It was not intended that the Department grow in size or scope, but that it remain very much a one-man affair.

This, however, was against all that Bhatnagar believed in or cherished. He was bubbling with enthusiasm for scientific research and he had to transmit this to others. Slowly he began to gather young research students from all parts of India. In order that the department be truly a department of applied mathematics, Bhatnagar realized he would have to widen his scientific research. Besides kinetic theory of gases and plasma physics, he initiated research in fluid dynamics, including boundary layer theory, magnetohydrodynamics, and the theory of non-Newtonian fluids. The choice of these subjects was inspired by the fact that the engineering departments at the Institute could verify experimentally the theoretical results obtained by his group. He desired that as far as possible, research activity at the Institute should be a cooperative

effort. He was also acutely aware of the fact that it would be nonlinear effects and discontinuous solutions that would be the work of the future and he initiated work in shock propagation and the theory of nonlinear waves. He was also convinced that computers would play a dominating role in research in the years to come and encouraged the use of computer oriented numerical techniques and the study of mathematical logic along with other basic mathematical topics, like group theory and Boolean algebra.

Special mention should be made of Bhatnagar's work in the area of non-Newtonian fluid flows, as it was a relatively new area at that time and many questions were yet to be answered. The famous experiments of Weissenberg and Merrington had shown that fluid behaviour could not always be explained by the Newtonian stress-rate-of-strain relation :

$$\tau_{ij} = -p \delta_{ij} + \mu e_{ij},$$

where τ_{ij} is the stress tensor, e_{ij} is the rate-of-strain tensor, δ_{ij} is the Kronecker delta, p is the pressure and μ is the Newtonian coefficient of viscosity. When a fluid is subjected to shearing flow between two coaxial cylinders, the inner of which is at rest and the outer rotating, then, in general, the level of the free surface close to the inner cylinder drops. However, in certain highly viscous fluids, it was found that the fluid close to the inner cylinder was forced inwards against the centrifugal force and upwards against the force of gravity, so that the fluid rose at the inner cylinder. The experiment showed that in addition to the shear stress components, which were predicted by the Newtonian theory, there were additional normal stress components not predicted by the theory. This led to a spate of fluid models generally referred to as "non-Newtonian" fluids. Among these were models : (i) those which took account of the elasticity of the fluids—"viscoelastic fluids", (ii) those which were governed by higher order stress-rate-of-strain relations—"power law fluids"—, (iii) those with cross viscosity, (iv) those with couple stress and microrotations. In order to classify and distinguish between various non-Newtonian fluid models and calculate the innumerable constants associated with these models, Bhatnagar undertook a study of secondary flows. He realized the importance of studying shearing flows in these fluids and together with his doctoral students published a large number of papers on flows between rotating boundaries, like flat plates, cylinders, spheres, cone and plate, etc. Truesdell and Noll (1965) in their book *The nonlinear field of theories of mechanics* (Handbuch der Physik, Band III) have mentioned : *Bhatnagar and his collaborators have calculated and classified the secondary flow corresponding to various geometrical conditions.*

Besides suggesting how to classify various non-Newtonian fluids, Bhatnagar also realized that these different models, though apparently based on widely differing phenomenological considerations, behaved very similarly in shearing flows. In fact, the Oldroyd model, the Walter model and the Rivlin-Ericksen model (with a certain

restriction on its parameters) could be described in shearing flow by the same expressions with a suitably defined common non-Newtonian parameter. Bhatnagar also showed that the normal stresses, which were present in rotating shearing flows of non-Newtonian fluids opposed the centrifugal forces, in general. This leads to a phenomenon peculiar to non-Newtonian fluids, namely, even when the boundary rotates in the same sense, the secondary flows can "break" and there can be reversal of flows, provided the normal stresses are strong enough to overcome the effects of the centrifugal forces.

In the period 1960-1965, Bhatnagar spent many months abroad at the Harvard College Observatory at Cambridge, Mass. During this period, Bhatnagar developed a severe problem in the spinal region of the lower back. He was unable to walk long distances or keep standing for a long time. That did not dampen his spirit. In spite of the fact that he usually paced up and down impatiently during a lecture, he got used to delivering talks while seated in a chair. The walk to the department and back to his house was a painful process and he would have to rest in between. It was a familiar sight to see him seated on the steps en route with a knot of students around him, discussing some research problem quite unmindful of the pain in his back. Surgery in the United States corrected his spinal problem and soon *he was seen to run and dash* around on campus.

At Rajasthan University at Jaipur

By April 1969, the Department of Applied Mathematics at the Indian Institute of Science, Bangalore had grown in stature. About 25 of his students had either completed or were in the process of completing their work for a PhD degree. The department had grown in size to over ten faculty members working in various areas of applied mathematics. Bhatnagar was not one to rest on his laurels. With an overwhelming desire to serve a larger academic community, he decided to leave it all behind and move to Jaipur, where he was offered the Vice-Chancellorship of the University of Rajasthan. It was a time of student unrest and tumult. Bhatnagar with his strong belief in the innate honesty and goodness of man, especially of the younger generation, was never ruffled. He talked to the students, cajoled, coaxed and convinced them on major disturbing issues. He prided himself on the fact that anyone could walk into his office and talk to him. However, this was not his life's work and it pained him that he found very little time for research; so he decided to relinquish office at the end of two years.

At Himachal Pradesh University

In May 1971, at the invitation of the newly formed Himachal Pradesh University at Shimla, he joined as Senior Professor and Head of the Department of Mathematics. Soon after, he left to spend a year as a Visiting Professor at the University of Waterloo in Canada. It was a special occasion, because for the first

time he was going abroad with his wife, Anand Kumari, his helpmate for over forty years. To him family always meant the "extended" family—his students, colleagues and coworkers included. His wife and children hardly saw him during the week, because there were so many of his 'extended' family clamouring for his time and attention. It was always 'open house' at the Bhatnagars, with gracious hospitality.

At Shimla, Bhatnagar again set out from scratch to build a department of mathematics. He was a UGC National Lecturer in 1972. He also gave the NR Sen memorial lecture sponsored by the Calcutta Mathematical Society. It was while he was at Meerut on a lecture assignment in January 1973 that he heard about the passing away of his wife at Kota. After this tragic incident, Bhatnagar was very unhappy and alone at Shimla. His appointment as member of the Union Public Service Commission came as a welcome change and he moved to Delhi in October 1973.

It was a large house close to India Gate, that Bhatnagar lived in. However, he was very lonely. Of his four sons, Rakesh and Brijendra were abroad and the others, Vinay and Kamal, working outside Delhi. His only daughter, Kalpana, was busy with her own growing family at Bhopal. As usual, he devoted his entire energy to his work. At heart, he was a mathematician and a teacher and UPSC could not hold him long. When the Mehta Research Institute (MRI) of Mathematics and Mathematical Physics at Allahabad was to take shape, Bhatnagar accepted the offer to be its first Director in July 1975.

At Mehta Research Institute

For a brief spell, Bhatnagar was his old self. With dreams of the future, he worked ceaselessly to build a true centre of research in Mathematics. His magnetic personality attracted to MRI people of the highest calibre. For many years he had been devoting his time to developing curricula for mathematics education.

In December 1975 he convened a Regional Conference on the Development of integrated Curriculum in Mathematics for developing countries in Asia. The conference was at Bharwari, near Allahabad. MRI was still in its infancy. Bhatnagar conducted the proceedings with finesse—looking after the foreign and Indian guests, arranging the lectures, initiating discussions—all in this tiny little place. It was only he, who could have done it.

In May 1976, the indefatigable Bhatnagar conducted a one month course on 'Hyperbolic Systems of partial differential equations and nonlinear waves'. With only one faculty member to help him, he kept up a furious pace of lectures starting from a simple linear wave, going through the Burger's and KdV equations in detail, the method of inverse scattering, group velocity in nonlinear systems and its Lagrangian formulations. His lecture notes at this course formed the subject of his book

An introductory Course on Nonlinear Waves which appeared as an Oxford Mathematical monograph.

ASSOCIATION WITH LEARNED SOCIETIES/INTERNATIONAL HONOURS

In 1950, Bhatnagar was elected Fellow of the National Institute of Sciences of India (now INSA, Indian National Science Academy). In 1955 he was elected Fellow of the Indian Academy of Sciences. As the tempo of his research activities increased, Bhatnagar began to get more and more international recognition. He was a member of Commissions 27 (Variable stars) and 43 (MHD) of International Astronomical Union, and a corresponding member of the International commission on Plasma Physics, appointed by the International Union of Pure and Applied Physics. In 1967 he was invited by the Royal Society as a Distinguished Visiting Scientist and he delivered two lectures on his research work on *Slip Flows* and *Secondary Flows* at the Imperial College, London. In 1968 he was invited to the International Congress on Rheology at Kyoto in Japan.

At home, too, the 1960's was a very busy period for Bhatnagar. He was among other things, President of the Mathematics Section of the Indian Science Congress (1962), the Indian Mathematical Society (1964, 65, 68), the Physical Sciences Section of the National Academy of Sciences (1969), the Congress of the Indian Society for Theoretical and Applied Mechanics (1971), and the Association of Mathematics Teachers of India (1968-76). In his immediate neighbourhood, he formed the Bangalore Mathematical Association and under its auspices, apart from lectures etc., introduced Mathematic Olympiads on the lines of those held in East European Countries. This was the first ever Mathematics Olympiad held in India and it is a tribute to the foresight of Bhatnagar that almost twenty years ahead he saw the need for these olympiads in India. Today the National Board for Higher Mathematics (NBHM) conducts the Indian National Mathematics Olympiad (INMO) all over India to detect and nurture talent in mathematics among students at the level of standard XI. For his service to the nation, Bhatnagar was fittingly awarded the Padma Bhushan on January 26, 1968.

He was an UNESCO expert in the United Arab Republic for a three month period in 1969, a member of the Executive Council of the International Conference on Mathematics Education at Lyon in 1969, a leader of the Indian delegation to the Indo-US Binational Conference on Mathematics Education and Research at Bangalore in June 1973, and a member of the International Commission on Mathematical Instruction at Vancouver in August 1974.

In spite of recurring spells of pain and giddiness, Bhatnagar went abroad in 1976. He had been leader of the Indian delegation to the XIV International Congress of Theoretical and Applied Mechanics at Moscow in 1972 and was now attending the

XV Congress at the Hague, Netherlands. He also attended the International Conference on Mathematics Education at Karlsruhe in West Germany. He was also the leader of the Indian delegates of the International Conference on Mathematics Education at Karlsruhe in West Germany.

QUALITIES AS A MAN

In all that is said of Bhatnagar 'the scientist', it is incorrect to overlook Bhatnagar 'the man'. He was a man of simple ways and high principles. He believed in the existence of God, but at the same time, he felt that this belief was not wholly rational. The rituals of 'bribing' deities for purely selfish reasons were obnoxious to him. Even the thought of bargaining with his employers for his own benefit was repulsive. He said *I would not like to bargain with an Institution that I am going to serve.* All his life he indulged in writing poetry. He never published his poems, but those who have heard him recite his poetry were impressed by his creativity and found it an unforgettable experience. Humility was another of his characteristics. If he found that he were in the wrong, he never hesitated to apologize to his students or anyone else when he felt he had wronged. Perhaps the following words of Bhatnagar summarize his qualities as a human being: *What I cherish most in my life is peace and humility. Peace within ensures peace outside and wise decisions in all matters. Humility enables one to understand the other man's point of view and creates an atmosphere of affection all around you.*

End of a glorious life

A month after his return from abroad to India on October 5, 1976 Bhatnagar passed away very quietly. He was to go to Delhi that afternoon. He had complained of chest pain and had gone for a medical check-up at 9.30 am. The doctors found nothing wrong with him and even told him that he could go to Delhi that afternoon. A few minutes after leaving the hospital, alone in the back seat of his car, he had a massive heart attack and passed away. His body was consigned to the flames on the banks of the Ganga.

A man of his calibre needs no epitaph. His life is an example in itself and speaks far more than what anybody can write about him. His was a life of simple honesty, high ideals, and high thinking. May his tribe increase.

VG TIKEKAR, PHOOLAN PRASAD, RENU RAVINDRAN

REFERENCES

1. Cercignani, C (1969). *Mathematical Methods in Kinetic Theory*, Plenum Press, New York.
2. Professor PL Bhatnagar Memorial Number. (1978). *The Mathematics Teacher (India)*, volume 14, Nos. 1 and 2, The Association of Mathematics Teachers of India.

BIBLIOGRAPHY

1937. On the convergence of the conjugate series of the derived Fourier series. *Proc. Nat. Acad. Sci. India*, **7**, 116-122.
1938. On the summability of the conjugate series of Fourier series. *Proc. Ind. Acad. Sci.*, **7**, 85-90.
- The absolute summability of the conjugate series of derived Fourier series. *Bull. Cal. Math. Soc.*, **30**, 17-26.
 - On the intensity of ionization in the earth's atmosphere. *Ind. J. Phys.*, **12**, 387-398.
 - (With BANERJI AC) On the solution of certain types of differential equations. *Proc. Nat. Acad. Sci. India*, **8**, 85-91.
1939. On the Abel summability of the conjugate series of Fourier series. *Bull. Cal. Math. Soc.*, **31**, 31-44.
- (With BANERJI AC) The arms of a spiral nebula. *Phil. Mag. (Seventh Series)*, **28**, 118-121.
1940. Polytropic gas models with variable angular velocity. *Bull. Cal. Math. Soc.* **32**, 21-41.
- On the origin of the solar system. *Ind. J. Phys.* **14**, 253-281.
1942. (With KOTHARI DS) A note on the principle of adiabatic invariance. *Ind. J. Phys.* **16**, 271-275.
- (With BRIJ NATH) Fermi-Dirac and Bose-Einstein gas in a gravitational field. *Proc. Nat. Inst. Sci. India*, **8**, 361-367.
 - (With KOTHARI DS) Pressure ionization and maximum radius of a cold body. *ibid*, **8**, 377-382.
1943. Luminosity—radius relation for white dwarf stars. *The Observatory*, No. 816, **65**, 95-96 (correspondence).
1944. (With KOTHARI DS) A note on pulsation theory of Cepheid variables. *Mon. Not. Roy. Astron. Soc.*, **104**, 292-296.
- Pulsations and white dwarfs. *Nature*, **154**, 606.
1945. The theory of anharmonic pulsations for Cepheids : Two-phase homogeneous model. *Proc. Nat. Inst. Sci. India*, **11**, 13-20.
- Application of Rayleigh's principle to Cepheid pulsation. *ibid*, **11**, 25-29.
 - Range of light variations in Cepheid variables. *Phys. Rev.*, **67**, 194.
1946. Anharmonic pulsations of a homogeneous star . Effect of variation of the ratio of specific heats. *Bull. Cal. Math. Soc.* **38**, 34-38.
- Radial pulsations of a rotating star. *ibid*, **38**, 93-95.
 - Radial oscillations of a star. *ibid*, **38**, 168-176.
1949. (With SINGWI KS) Distance correlations in an ideal Fermi-Dirac gas. *Phil Mag.*, (Seventh Series) **40**, 917-921.
1950. Von Weizsacker's theory of the origin of the solar system. *Bull. Allahabad Univ. Math. Assoc.*, **14**, 1-10.
1951. (With KUSHWAHA RS) Anharmonic pulsations of Roche model. *Bull. Cal. Math. Soc.*, **43**, 95-100.
1952. (With KUSHWAHA RS) Stability of stars under variable Γ . *Proc. Nat. Inst. Sci. India*, **18**, 13-19.
- (With KOTHARI LS) On a modified definition of Riesz potential and its correspondence to the Wenzel potential. *ibid*, **18**, 171-175.
 - (With PYARE LAL) A note on energy levels of hydrogen atom with finite size nucleus. *ibid*, **18**, 193-196.
 - (With MENZEL DN and KROOK M) Dynamics of ionised media. *Scientific Rep. No. 3, Solar Dept. of Harvard College Observatory*, 1-56.

1953. Internal constitution of the sun and climatic changes. In "climatic change-evidence, causes and effects", ed. by H Shapley (Harvard Univ. Press, Cambridge), 137-142.
- (With KROOK M and THOMAS RN) Kinetic temperature, electron temperature and turbulence in stellar atmospheres. *Paper presented at 88th meeting of the Amer. Astron. Soc. Amherst, Mass., Dec. 28-31, 1952.* Abstract in *Astron. J.*, **58**, 35.
- (With GROSS EP and KROOK M) A kinetic approach to collisional processes in gases I: Small amplitude processes in charged and neutral one-component systems. *Scientific Report No. 11, Solar Dept. of Harvard College Observatory.* Also *Tech. Rep. Lab. for Information Res., MIT* (Sep. 1953), 1-41.
1954. (With WHIPPLE FL) Accretion of matter by a satellite. *Astron. J.*, **59**, 121-128.
- (With GROSS EP and KROOK M) A model for collisional processes in gases I: Small amplitude processes in charged and neutral one-component systems. *Phys. Rev.*, **94**, 511-525.
- (With SINGAL MK) A problem on moments. *Maths. Student*, **22**, 167-174.
1955. (With KROOK M *et al.*) Turbulence, kinetic temperature and electron temperature in stellar atmospheres. In *Vistas in Astronomy* Vol I ed. by A. Beer, Pergamon Press, London and New York, 269-303.
- Air resistance to supersonic projectiles. Lectures delivered at the Defence Science Organisation, May-June 1954. Published as *Advanced Lectures on the Ballistics of Rockets: Vol II, External Ballistics of Rockets*, by Defence Science Organisation, India.
1956. Non adiabatic pulsations of a stellar model. *Zeit. für Astrophysik.*, **41**, 21-34.
- (With LAKSHMANA RAO SK) A note on the Gegenbauer transform. *J. Ind. Inst. Sci.*, **38**, 249-255.
1957. (With LAKSHMANA RAO SK) Problems on the motion of non-Newtonian viscous fluids: general considerations. *Proc. Ind. Acad. Sci.* **45**, 161-171.
- (With VERMA PD) On superposable flows. *Proc. Ind. Acad. Sci.* **45**, 281-292.
- (With PYARE LAL) Exchange potential and mass-radius relation for cold bodies. *Proc. Nat. Acad. Sci. India*, **26**, 435-448.
- (With PYARE LAL) Shock relation in a Fermi-Dirac gas. *ibid.* **23**, 9-15.
- (With NAGPAUL SR) Radial pulsations of an infinite cylinder with finite conductivity immersed in a magnetic field. *Ziet. für Astrophysik.*, **43**, 273-288.
- (With LAKSHMANA RAO SK) Steady motion of non-Newtonian fluids in tubes. *Proc. Third Cong. Theor. and Appl. Mech. India*, 225-234.
1958. Methods of characteristics in problems of supersonic flows. Lectures delivered at Defence Science Organisation. *Proc. Summer School in Maths held at Delhi.* 4-33.
- The equilibrium of a self-gravitating incompressible fluid sphere with magnetic field. *J. Ind. Inst. Sci.*, **40**, 50-73.
1959. Vorticity and circulation in a compressible viscous flow in the presence of magnetic field. *Golden Jubilee Volume, Ind. Inst. Sci.*, 194-199.
- (With CHAKRABORTY BB) Hydromagnetic model for a quiescent prominence. *Proc. Nat. Inst. Sci. India*, **25**, 380-387.
- Superposability and harmonic analysis of flows of a viscous liquid in the presence of magnetic field. *Golden Jubilee Volume Cal. Math. Soc.*, 205-216.
- Magnetogasdynamics and lines of discontinuity in two-dimensional flow. *Math. Student*, **27**, 195-200.
- Plasmas and their oscillations. Studies in Theoretical Physics, III, *Proc. Summer School in Theor. Physics held at Mussoorie*, 457-472.
- Hydromagnetic models for a quiescent prominence. Studies in Theoretical Physics, III. *ibid.* 475-479.

1960. (With SANKAR R and JAIN AC) Boundary layer on a flat plate with suction. *Proc. Ind. Acad. Sci.*, **51**, 1-13.
- (With RAM KUMAR) Propagation of small disturbances in viscous and electrically conducting liquids in the presence of magnetic field. *Ind. J. Math.*, **2**, 41-66.
- Propagation of small disturbances in a viscous compressible fluid of finite electrical conductivity. *J. Ind. Math. Soc.*, **24**, 173-189.
- (With CHAKRABORTY BB) The stability of an infinitely conducting liquid column with uniform volume current and surface charge. *Proc. Nat. Inst. Sci. India*, **26**, (Supplement II), 76-88.
- The stability of force-free magnetic fields. *ibid*, **26**, 592-598.
- Boltzmann equation and some recent methods of solution. *Proc. Second Summer School on Theor. Phys.*, Dalhousie, India
1961. On two-dimensional boundary layer in non-Newtonian fluids with constant coefficients of viscosity and cross viscosity. *Proc. Ind. Acad. Sci.*, **53**, 95-97.
- Waves in the electrically conducting media. *Electro-Technology*, **5**, 29-40.
- Flow between torsionally oscillating parallel infinite planes in the presence of uniform magnetic field normal to discs. *Ind. J. Math.*, **3**, 27-37.
- (With DEVANATHAN C) Hydromagnetic waves in compressible fluids. *J. Ind. Inst. Sci.*, **43**, 179-194.
- (With VERMA PD) On the steady flow of a viscous fluid past a sphere at small Reynolds numbers using Queen's approximation. *ZAMP*, **12**, 546-558.
- Generalisation of the BGK model to two-component assembly and plasma oscillations. *Proc. of the Seminar on Aero. Sciences, NAL, India*, 342-357.
- (With JAIN AC) Effects of pressure gradient and variable suction or injection on the incompressible laminar boundary layer. *ibid*, 358-369.
- Boundary layer theory, *Maths. Seminar* 1-23.
1962. Generalized BGK collision model and plasma oscillations in the presence of magnetic field. *Lecture delivered at Summer School in Theor. Physics, Simla, India.*
- (With JAIN AC) On incompressible laminar boundary layer with pressure gradient and with or without suction. *ZAMM*, **42**, 1-8.
- On BGK collision model for a two component assembly. *Zeit. für Astrophysik.*, **54**, 234-243.
- (With RAJESWARI GK) The secondary flows induced in a non-Newtonian fluid between two parallel infinite oscillating planes. *J. Ind. Inst. Sci.*, **44**, 219-238.
1963. (With DEVANATHAN C) Oscillations of a three-component assembly in the presence of a magnetic field using the generalized BGK collision model. *Proc. Nat. Inst. Sci. India*, **29**, 474-499.
- (With DEVANATHAN C) Motion of a charged particle through plasma. *Beit. aus der Plasma-physik.*, **3**, 177-201.
- (With RATHNA SL) Flow of a fluid between rotating coaxial cones having the same vertex. *Quart. J. Appl. Math. Mech.*, **16**, 329-346.
- (With AHUJA GC) Three-dimensional boundary layer on a yawed semi-infinite flat plate with or without suction and injection. *Proc. Ind. Acad. Sci.*, **57**, 148-180.
- (With RAJESWARI GK) Mouvement secondaire d'un fluide non-Newtonien Comprisentre deux sphères concentriques tournant autour d'un axe. *C. R. Acad. Sci.*, **256**, 3823-3826.
- (With RATHNA SL) Weissenberg and Merrington effects in non-Newtonian fluids. *J. Ind. Inst. Sci.*, **45**, 57-82.
- (With RAJESWARI GK) Secondary flow of non-Newtonian fluids between two concentric spheres rotating about an axis. *Ind. J. Math.*, **5**, 93-112.

1963. Magneto-hydrodynamics. *Proc. Summer Seminar in Magneto-hydrodynamics, Bangalore, India*, 5-18.
- General discussion of equations of magneto-fluid-dynamics, *ibid.* 19-70.
 - Nonlinear waves. *ibid.* 59-79.
 - Kinetic equations of plasmas. *ibid.* 177-203.
 - (With RAO DKM) Secondary flow in cone-cone or cone-plate viscometer in the presence of external toroidal magnetic field. *ibid.* 323-331.
1964. (With MOHAN RAO DK) Flow of an electrically conducting non-Newtonian fluid between two rotating coaxial cones in the presence of external magnetic field due to an axial current. *Proc. Ind. Acad. Sci.*, **59**, 269-284.
- Magneto-fluid-dynamics (Basic Equations and Waves). *Lectures delivered at Annamalai University*, 1-104.
 - (With AHUJA GC) Three-dimensional boundary layer for decelerating flows with or without suction. *ZAMM*, **44**, 529-538.
 - (With RAM KUMAR) Propagation of small disturbances in viscous and electrically conducting liquids in the presence of magnetic field. *Ind. J. Math.*, **6**, 1-19.
 - (With MOHAN RAO DK) Flow of a Reiner-Rivlin fluid between two concentric rough circular cylinders rotating about their common axis. *Proc. Ind. Acad. Sci.*, **62**, 347-357.
1965. (With DEVANATHAN C and UBEROI C) Transport processes in a multicomponent assembly on the basis of generalized BGK collision model. *J. Ind. Inst. Sci.*, **47**, 106-132.
- (With BHATNAGAR RK) Vorticity and pressure equation for a particular class of non-Newtonian fluids. *C. R. Acad. Sci.*, **261**, 3041-3044.
 - (With SACHDEV PL) Propagation of a spherical shock in an inhomogeneous self-gravitating or non-gravitating system. *Il Nuovo Cimento.*, **40**, 383-415.
 - Transport properties of a multi-component assembly using generalised BGK collision model. *Symposium on Material Sciences, Moscow*, 1-15.
1966. (With TIKEKAR VG) A note on the temperature distribution in a channel bounded by two coaxial cylinders. *Proc. Camb. Phil. Soc.*, **62**, 301-302.
- (With SACHDEV PL) The propagation of an isothermal shock in stellar envelopes. *Il Nuovo Cimento*, **44**, 15-30.
 - Laminar flow of an elasto-viscous fluid between two parallel walls with heat transfer. *ZAMP*, **17**, 646-649.
 - B.B.G.K.Y. Hierarchy of equations and correlations in Plasmas. *Proc. of the Symposium on Magneto-hydrodynamics and its applications to Astrophysics. Bull. Nat. Inst. Sci. India.* **33**, 83-108.
1967. (With RAJAGOPALAN R and BHATNAGAR RK) Secondary flow of elasto-viscous fluid between two concentric spheres oscillating about a fixed diameter. *J. Phys. Soc. Japan*, **22**, 1077-1086.
- (With DEVANATHAN C) Flow induced in a cylindrical column by a uniformly rotating magnetic field. *Proc. Roy. Soc.*, **297A**, 558-563.
 - (With DEVANATHAN C) Stability of equatorial disturbances in an idealised dipole magnetic field embedded in a non-uniform atmosphere. *J. Ind. Inst. Sci.*, **49**, 141-147.
 - Comparative study of source constitutive equations characterising non-Newtonian fluids I. *Proc. Ind. Acad. Sci.*, **46**, 342-352.
 - (With RAJAGOPALAN R and MATHUR MN) Secondary flow of an elasto-viscous fluid between two concentric spheres rotating about a fixed diameter. *Ind. J. Math.*, **9**, 1-16.
 - (With UBEROI C) Two stream instabilities in plasmas. *J. Appl. Phys.*, **38**, 3801-3807.
 - Slip Flows. *Proc. Summer Seminar in Fluid Mechanics.*, 1-36.
 - Non-Newtonian fluids. *ibid.* 323-353.
1968. (With BHAT PK) Stability of a collapsing or exploding cylindrical shell of conducting fluid in the presence of magnetic field. *Proc. Nat. Inst. Sci. India.*, **34**, 115-131.

1968. (With JAYAKARAN ISAAC R) Gravitational instability of an infinite isothermal stratified medium under uniform rotation using the principle of exchange of stabilities. *ibid*, **34**, 169-178.
- Comparative study of some constitutive equations characterising non-Newtonian fluids. II. *Ind. J. Mech. Math*, **8**, 23-24.
 - Plane Couette flow with suction or injection and heat transfer. *J. Ind. Inst. Sci.*, **50**, 1-12.
 - Gravitational instability of an isothermal stratified rotating medium. *Contributed to 75th birthday commemoration Volume of Professor AC Banerjee. Prog. in Math.* **2**(i), 11-27.
 - Secondary flows in non-Newtonian fluids. *J. Math and Phys. Sci. India*, **2**, 73-110.
 - (with RAGHAVACHAR MR and UBEROI C) Instability of coupled longitudinal and transverse electromagnetic modes of wave propagation in bounded streaming plasmas. *J. Appl. Phys.*, **39**, 1948-1956.
 - (With SACHDEV PL and PHOOLAN PRASAD) Spherical piston problem in water. *J. Fluid Mech.*, **39**, 587-600.
1969. (With SRIVASTAVA MP) Heat transfer in plane Couette flow of a rarefied gas using BGK model. *Phys. Fluids.*, **12**, 938-940.
- (With RAVINDRAN R) The oscillation of a spheroid along its axis in a non-Newtonian fluid. *Rheol. Acta.*, **8**, 465-471.
 - (With SACHDEV PL) Propagation of a bore produced by the sudden break of a dam. *Quart. J. Mech. Appl. Math.*, **22**, 501-512.
 - (With DEVANATHAN C) Transport processes in dense gases. *Proc. Roy. Soc.* **309A**, 245-257.
 - Secondary flow in non-Newtonian fluids. *Proc. V. Int. Cong. Rheol, Tokyo, Japan*, **1**, 275-292.
 - (With BHATNAGAR RK and SOLOMON H) Secondary flow of an elastico-viscous fluid between two coaxial cones having the same vertex and rotating about a common axis. *Proc. Nat. Acad. Sci. India* **39A**, 107-120.
1970. (With RAVINDRAN R) A general treatment of two-dimensional plane flow for a micropolar fluid. *Rheol. Acta.* **9**, 213-226.
- (With PHOOLAN PRASAD) Study of self-similar and steady flows near singularities. *Proc. Roy. Soc.* **315A**, 569-584.
 - (With SRIVASTAVA MP) Electrical conductivity of Argon seeded Cesium using generalized BGK model. *Proc. I.E.E.—I.E.R.E.*, **8**, 201-207.
1971. (With PHOOLAN PRASAD) Study of self similar and steady flows near singularities. II. *Proc. Roy. Soc.*, **322A** 45-62.
1972. Flow of Noll's fluid between two infinite parallel plates with suction. *Int. J. Maths. Educ. Sci. Tech.*, **3**, 201-205.
- (With SRIVASTAVA MP) Stability of a plasma in helical field. *Ind. J. Pure Appl. Math.*, **3**, 384-396.
1973. (With DEKA BC) Effect of weak swirl on a steady supersonic gas flow in a circular tube. *ibid*, **4**, 629-652.
- Lommel type of integrals involving products of three Bessel functions. *Comment. Math. Univ. St. Pauli*, **XXII**, 1-11.
 - Plane Couette flow with suction or injection over a limited portion of the stationary plane. *ZAMM*, **53**, 609-616.
 - Numerical integration of Lommel type of integrals involving products of three Bessel functions. *Ind. J. Math.*, **15**, 77-97.
1974. (With WONG WC) A numerical procedure for a plane Couette flow with a rectangular cavity. *Proc. Ind. Acad. Sci.*, **79**, 173-194.
- (With SRIVASTAVA MP) Transport properties for a collisionless plasma from finite-Larmor-radius equations in general magnetic fields. *Beit. aus du Plasma Physik*, **14**, 79-92.

1978. (With BANERJEE MB) On the hydrodynamic and hydromagnetic stability of superposed fluids. *J. Math. Phys. Sci., India*, **12**, 267-286.
1979. (With KAIMAL MR) Free convection flow past a vertical wall. *ibid*, **13**, 283-305.

BOOKS

(Edited books have been marked with an asterik)

1962. Determinants, National Publishing House, Delhi.
1963. (With MENZEL DH and SEN HK). Stellar Interiors. International Astrophysical Series Vol VI. Chapman and Hall.
— Proceedings of the Summer Seminar in Magnetohydrodynamics, Bangalore. (*)
1964. (With SRINIVASINGAR CN) Theory of infinite series, National Publishing House, Delhi.
— Elements of Statistics and Theory of Errors. S Chand and Co., Delhi.
1967. The Universe. NCERT, Delhi.
— Proceedings of the Summer Seminar in Fluid Mechanics, Bangalore. (*)
1969. Matrices. National Publishing House, Delhi.
1970. Dimensional Analysis. National Publishing House, Delhi.
1971. Introductory lessons on modern mathematical concepts. Affiliated East West Press, Delhi.
1976. Report on Regional Conference on development of integrated Curriculum in Mathematics for developing countries of Asia, Bharwari. (*)
1979. An introductory course on nonlinear waves (in one-dimensional dispersive systems), Oxford Mathematical Monographs.

List of Presidential Addresses and General Articles

1962. Non Newtonian Fluids. Presidential Address to Mathematics Section of 49th Ind Sci Congr Cuttack, 1-30.
1964. Ten Commandments in Mathematics. *Maths. Teacher*, **1**, 281-295.
1965. Some problems of fluid mechanics. Presidential Address at 30th Conference of the Ind. Math. Soc., *Maths. Student*, **33**, (Appendix I), 1-32.
1967. First lesson on matrices. *Maths. Teacher*, **3**, 119-134.
— Inaugural address at the 2nd Annual Conf. of Assoc. Maths. Teachers of India (AMTI), *ibid*, **3**, 187-197.
— First lesson on set theory. *ibid*, **4**, 13-32.
— Presidential address at 30th Conf. of Ind. Math. Soc., Dharwar, *Maths. Student*, **35**, 235-246.
— Lunar radiation. Presidential Address (Technical) at 30th Conf. of Ind. Math. Soc. Dharwar, *ibid*, **35**, 257-270.
— Presidential address at 31st Conf. of Ind. Math. Soc., Jaipur, *ibid*, **35**, 247-256.
1968. Presidential address at 3rd Annual Conf., Assoc. Math. Teach. India, *Maths. Teacher*, **4**, 153-166.
— First lesson on algebra of logic II. *ibid*, **4**, 84-101.
— Number system I. *ibid*, **4**, 175-190.
— Number system II. *ibid*, **5**, 2-19.
1969. BBGKY hierarchy of equations and transport properties of dense gases. Presidential address to Physical section, *Nat. Acad. Sci. India*, 1-15.
1970. Presidential address at 34th Conf. of Ind. Math. Soc., *Math. Student*, **38**, 1-9.
— Presidential address (Technical) at 34th Conf. of Ind. Math. Soc., *ibid*, **38**, 10-35.
— Teaching of Mathematics at Post-graduate level. *Bull. Math. Assoc. India*, **2**, 54-60.

1970. Presidential address at 5th annual conf. of Assoc. Math. Teach. India, *Maths. Teacher*, **I**, 302-309.
1973. Presidential address at 7th annual Conf. of Assoc. Math. Teach. India and 2nd annual Conf. of Assoc. Imp. Math. Teaching, *ibid*, **9**, 90-96.
- Our Problems. Presidential address at 8th annual Conf. of Association. Math. Teach. India, *ibid*, **10**, 87-92.
 - Some thoughts on Mathematics Education. *Mathematika*, **2**, 11-20.
1974. Bhaskaracharya's Lilavati. *Maths, Teacher*, **10**, 133-139.
- (With SINGAL MK) Mathematical Olympiads. *Bull. Math. Assoc. India*, **6**.
 - Classical and Modern Mathematics. *Ind. J. Math. Teaching*, **1**, 6-19.
1975. Nature of Applied Mathematics. *Maths. Teacher*, **11**, 12-22.
- Presidential address at 9th Annual Conf. of Assoc. Math. Teach. India, *ibid*, **11**, 173-180.
1976. Some Vedic sutras for arithmetical Operations. *ibid*, **11A**, 85-114.
- A Brief report on the Regional Conference on the development of Integrated Curriculum in Mathematics for developing countries in Asia, *ibid*, **12**, 49-56.
 - Presidential address at 10th Annual Conf. of Assoc. Math. Teach. India, *ibid*, **12**, 84-86.
 - Concept of Integrated Curriculum in Mathematics. *ibid*, **12**, 120-125.